

ACTIVE INGREDIENTS:

Thyme Oil.....	5.500%
Clove Oil.....	1.000%
Garlic Oil.....	0.300%
Cinnamon Oil.....	0.025%
Rosemary Oil.....	0.025%
Inert Ingredients*.....	93.150%

*Contains water, vinegar, molasses, glycerin, citric acid, magnesium sulfate heptahydrate, potassium humate, sodium chloride

Total Ingredients.....100.000%

PHYSICAL PROPERTIES:

Form: Liquid

Appearance: Hazy to opaque brown, having a unique characteristic odor.

Weight: 8.546 lb/gal, 1.024 kg/L

pH: 3-4

CAUTION: Keep out of reach of children.

Exposure to this product's mists or liquid may cause severe irritation to the eyes and may cause irritation to the skin and respiratory tract, especially on prolonged exposure. This product can be toxic upon ingestion. To protect eyes and skin from contact with this product, applicators and other handlers must wear a long-sleeved shirt, long pants, shoes and socks, protective eye-wear, and chemical resistant gloves made of neoprene, nitrile, or natural rubber. Avoid breathing vapors, aerosols, or mists. Use with adequate ventilation. Do not take internally. Keep the container tightly closed when not in use. Wash thoroughly with soap and water after handling this product.

STORAGE & DISPOSAL: Store in a cool, dry, well-ventilated area, away from incompatible materials and products. If this product is disposed of as shipped, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of a hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D due to toxicity. As a non-hazardous liquid waste, it should be disposed of in accordance with all local, state, and federal regulations. Consult state or local officials for proper disposal method.

CONDITIONS OF SALE: The information contained on this label is believed to be accurate and reliable. Buyer and user acknowledge and assume all liability resulting from the use of this material. Follow directions carefully. Timing, method of application, weather, plant and soil conditions, and other factors are beyond the control of the seller.



One Solution for Insects, Mites & Disease

PROUD 3[®] is an OMRI-Listed crop protection product. It is a broad-spectrum insecticide, miticide, and fungicide with on-contact and some local systemic activity. Safe for all plants when used as directed. For use on all food or nonfood crops. It controls pests such as thrips, whiteflies, mites and leafhoppers, and diseases such as Botrytis gray mold, powdery mildew, and Phytophthora late blight. PROUD 3 has limited residual control. Repeat treatments will be necessary if a problem persists.

Preharvest interval: PROUD 3 may be applied at any time up to and including the day of harvest with zero re-entry restrictions.

APPLICATION RATES			
SUGGESTED RATE OF PROUD 3 [®]	WATER VOLUME PER ACRE	SUGGESTED RATE OF PROUD 3 [®]	WATER VOLUME PER HECTARE
0.5-1 quart	15-25 gallons	1.25-2.5 liters	125-250 liters
1-2 quarts	25-50 gallons	2.5-5 liters	250-500 liters
2-4 quarts	50-100 gallons	5-10 liters	500-1,000 liters
4-8 quarts	100-200 gallons	10-20 liters	1,000-2,000 liters

APPLICATION INSTRUCTIONS:

SHAKE WELL BEFORE USING. This product will separate. Constant tank agitation is required to ensure a homogenous tank mixture. This product mixes readily with water. To prepare the spray mixture, fill the mix or spray tank with three-fourths of the required amount add the proper amount of PROUD 3. Complete filling the mix or spray tank with the balance of water needed. Mix well, continually stirring. Determine compatibility with other additives prior to mixing by performing a jar test using appropriate quantities of each material and water. Can be used with most chemical pesticides as a tank mix or in a rotation program.

Apply spray solution in properly maintained and calibrated equipment capable of delivering the desired volumes. As this product functions mostly on contact, the more complete the soil coverage, the better the product performs. Ensure application of the spray solution on both sides of the foliage. For best results, apply in early morning or late in the afternoon. Do not apply in rainy or windy conditions or on water-stressed plants. Use a volume of water necessary for uniform and 360° spray coverage without running off. Use lower rates for light infestations, moderate rates for moderate infestations, and higher rates for heavy infestations. Repeat application every 5 to 7 days to maintain the desired level of control.



Minimum Risk Pesticide EPA FIFRA 25(b) Exempt Product Registration

P: 800.961.1220 | F: 480.425.3061 | Info@Huma.us | Huma.us
1331 W. Houston Avenue, Gilbert, AZ 85233

